In the Claims

Claims are amended as follows:

- 1. (currently amended) A multiple-input multiple-output (MIMO) wireless communications system comprising:
- (i) a dual polarised antenna array located at a transmitter, the array comprising a plurality of transmit antenna elements;
- (ii) a beamformer for coherently combining elements of a same polarisation to form a first directional beam having a first polarisation and a second directional beam having a second polarisation; and
 - (iii) a plurality of receive antenna elements located at a receiver;

wherein the first and second beams provide two independent MIMO channels between the transmitter and the receiver.

- 2. (original) A MIMO wireless communications system as claimed in claim 1 wherein each of said transmit antenna elements is polarised at one of two first substantially orthogonal polarisations.
- 3. (original) A MIMO wireless communications system as claimed in claim 2 wherein each of said receive antenna elements is polarised at one of two second substantially orthogonal polarisations.
- 4. (original) A MIMO wireless communications system as claimed in claim 3 wherein said two first substantially orthogonal polarisations are different from said two second substantially orthogonal polarisations.
- 5. (original) A MIMO wireless communications system as claimed in claim 1 wherein said plurality of transmit antenna elements comprises one or more dual-polar-elements each such dual-polar-element being two co-located antenna elements operable from a single antenna aperture.
- 6. (Cancelled)
- 7. (original) A MIMO wireless communications system as claimed in claim 1 which is arranged to operate at a particular wavelength and wherein the inter-

element spacing of the transmit antenna elements is less than one of the particular wavelength.

- 8. (previously presented) A MIMO wireless communications system as claimed in claim 1 which is arranged to provide both non-MIMO communications and MIMO communications substantially simultaneously.
- 9. (Cancelled)
- 10. (previously presented) A MIMO wireless communications system as claimed in claim 1, comprising one or more beamformers integral with the transmit antenna elements.
- 11. (previously presented) A MIMO wireless communications system as claimed in claim 1 wherein said beamformer forms a plurality of pairs of antenna beams, each pair comprising a first antenna beam of a first polarisation and a second antenna beam, substantially identical to the first but provided at a second polarisation different from the first polarisation.
- 12. (original) A MIMO wireless communications system as claimed in claim 11 wherein each of said pairs of antenna beams is arranged to provide a two-branch MIMO input.
- 13. (original) A MIMO wireless communications system as claimed in claim 1 which is selected from a 2:2 and a 2:4 MIMO system.
- 14. (original) A MIMO wireless communications system as claimed in claim 1 which is selected from a fixed wireless access system, a personal area network, a wireless local area network, and a mobile communications network.
- 15. (original) A MIMO wireless communications system as claimed in claim 1 wherein each of said transmit antenna elements comprises a column of antenna elements.
- 16. (currently amended) A multiple-input multiple-output wireless communications method comprising the steps of:-

- (i) forming a first directional beam having a first polarisation and a second directional beam having a second polarisation from a transmit dual polarised antenna array comprising a plurality of antenna elements by coherently combining elements of a same polarisation;
- (ii) transmitting a space-time coded signal from said transmit antenna array, wherein said first and second beams provide two independent MIMO-channels; and
- (iii) receiving the space-time coded signal at a receive antenna arrangement comprising a plurality of receive antenna elements;

wherein said first and second beams provide two independent MIMO channels between the transmit antenna array and the receive antenna arrangement.

- 17. (previously presented) A method as claimed in claim 16 which further comprises:
- (i) positioning the transmit antenna array and the receive antenna arrangement such that a line of sight path is present between those two arrangements; and
- (ii) using said transmit antenna array to transmit the space-time coded signal to the receive antenna arrangement at least partly along said line of sight path.
- 18. (previously presented) A method as claimed in claim 16 which further comprises transmitting a non-space-time coded signal from the transmit antenna array simultaneously with the space-time coded signal.
- 19. (currently amended) An antenna arrangement for use in a multiple-input multiple-output (MIMO) wireless communications system, said antenna arrangement comprising
- a dual polarised antenna array comprising a plurality of transmit antenna elements and
- a beamformer for coherently combining elements of a same polarisation to form a first directional beam having a first polarisation and a second directional beam having a second polarisation, wherein the first and second beams provide two

independent MIMO channels <u>between said antenna arrangement and a receive</u> antenna arrangement.

- 20. (previously presented) An antenna arrangement as claimed in claim 19 which is arranged to operate at a particular wavelength and wherein the transmit antenna elements have an inter-element spacing which is less than one of the particular wavelength.
- 21. (original) An antenna arrangement as claimed in claim 19 which is also suitable for use in a non-MIMO communications system simultaneously with use in the MIMO communications system.
- 22. (original) A method of operating an antenna arrangement as claimed in claim 19 which comprises transmitting space-time coded signals from said antenna arrangement.
- 23. (original) A method of operating an antenna arrangement as claimed in claim 19 which further comprises a plurality of receive antenna elements and wherein said method comprises receiving space-time coded signals at said antenna arrangement, said signals being polarisation diverse and having a substantially insignificant amount of spatial diversity.